






THE FUTURE OF SMART BUILDINGS



Designing for the people in the space


Smart building technology and the Internet of Things are changing the way we think about the design and implementation of today's high-performance buildings.

Owners, architects, and contractors are increasingly focused on improving the occupant experience and reducing operating costs as the keys to better buildings and a better bottom line.

The lighting control strategies specified in today's building projects are chosen to optimise the environment for the people in the space, improve building operations, and provide superior energy performance.

Lighting, both electric light and daylight, impacts every space within a building. Smart light and blind control is essential to achieving building performance, and delivering the right environment on every project.

CREATE THE RIGHT ENVIRONMENT WITH QUANTUM



Lutron Quantum systems support dynamic, beautiful, productive spaces.


With Quantum, you can design, configure, monitor and adjust all the light in your space to create the right environment, at the right time, on every project.

Quantum systems are designed to accommodate a wide variety of lighting control requirements with embedded smart technology that delivers actionable data, simplifying building operation and optimising building performance.

Simple, third-party integration with other building systems, an intuitive graphical user interface, and smart control strategies are hallmarks of the Quantum system.

Engineered to ensure total design freedom, Quantum offers flexible control solutions for any size space and every budget including integrated lighting control, personal control solutions, solar-adaptive automated blind control, state-of-the art LED control technologies, and space utilisation tools.

REDUCE COSTS, IMPROVE COMFORT, ENHANCE BUILDING VALUE



Optimise your lighting control to optimise performance.

Smart lighting control can significantly decrease lighting energy use, and helps towards BREEAM and WELL accreditation. Yet the greatest values integrated lighting systems can add for both the owner and tenant are to enhance comfort and employee productivity, and reduce building operating costs.

A typical breakdown of an organisation's occupancy costs.*

PEOPLE: 90% •·····

- Personal control
- Reorganise interior layout
- Automated blinds (view, glare, daylight)


OPERATIONS/RENT: 9% •······

- Better space utilisation
- Reduce cost of maintenance
- Integration with other building systems

ENERGY: 1% •·····

- Light/blind control savings
- HVAC integration savings
- Peak demand savings


A Quantum system incorporates advanced lighting and blind control strategies and intuitive software to directly impact all three areas of building cost. It provides facilities managers and owners with the ability to collect and manage data that drives building decisions, simplifies and speeds system adjustments, and maximises building value.



DESIGN FOR THE PEOPLE IN THE SPACE









Tunable white solutions

Delivering beautiful, functional lighting environments. In response to an emerging trend in building design, tunable white control allows you to adjust colour temperature and intensity to best suit the occupants in the space.





QUANTUM

0

Tunable white control


Ensures a customisable, flexible, comfortable environment

- Adjust fixture colour temperature and intensity on a pre-defined schedule
- Adjust colour temperature on an individual fixture basis, or as a group
- Simulate natural changes in daylight for a desirable connection to the outdoors

Individual fixture control

Design dynamic spaces that can evolve and change over time

- Tailor the environment to individual preferences
- Easily make lighting adjustments on a graphical floorplan




Automated blind control

The Hyperion solar-adaptive shading system reduces glare and heat gain, and saves energy by automatically adjusting Lutron blinds in response to the changing position of the sun.

	Harm Plaze 3 Conference Roset A. State		atter film		() Sectory	Peaks Johney
0	Hyperion Adjustment I Bod and Krandbarr Land and Krandbarr Mark shark programs	Vant En on here wordt he polaer	t tem Backet v	a (F):		
	flacemented Darg	•	CALIFORNIA CONTRACTOR			ny of Orangea
	in the second se					
	Reserve	Series .	he batanier shade incomente 🗈	From	10 1000 m	Ann



Radio Window Sensor Intelligently adapts Hyperion for local conditions



DIRECT SUN: Blinds lower to keep the sun's rays from penetrating your work area



REFLECTED SUN: Blinds close to block reflections from large surfaces

QUANTUM



Hyperion blind control

Increase comfort, productivity, and energy savings, while preserving views to the outside.

- Maintain a glare-free environment to keep occupants comfortable
- Allow blinds to be open more often to maximise views and daylight harvesting
- Provide confidence that blinds receiving direct sun are closed during peak cooling periods
- Create and modify shading groups through software, with no need to alter wiring



BRIGHT SKY: Blinds move to a predetermined position to minimise the contrast from the bright sky



OVERCAST/DARK: Blinds open to maximise views and available daylight when overcast or when in a shadow

SIMPLIFY BUILDING OPERATIONS

OPERATIONS



OPERATIONS

Actionable Data

Quantum offers a wide variety of data-driven reports and alerts.


Help improve building layout, defer capital expenditures, deliver a more efficient space, and reduce your building's carbon footprint.

	Hore Disaatty			
	Ocmpetry		Wy Grouper	
	Alfada Dystere Ba Area			
	(2) The Marth - (-) and	tudes warking hours only @		a .
	Antihere 17	Ansilves	th of Time Occupied	47
	Hell Official Interchaling - recover a local field	Adventuation	174 B	
	WW Conference Room With Party - 14 Year - Nath See	Conference Poure	-	
-	Executes Bardonich Aberbarty, - 17750 - Lind Son	Conference Reciri	-	13
	Lagal Assa Discharge - ar Carl - part Tax-	Administration	ans a	
	Garate Bachart Melotige of Sector (ar	Conference Rowth		- 2
	Lagal Asso	Adversariation	-	

Space utilisation reports

Helps optimise under-utilised spaces

- Get reports by individual area
- Make more informed decisions about space layout





Occupancy trends

Improve efficiency by viewing occupancy trends over time

- Adjust building operations (e.g. cleaning schedules) based on space occupancy patterns
- Monitor and analyse occupancy trends with no need for third-party evaluations



QUANTUM



Customisable alerts

Allow your team to select which issues should be immediately emailed for attention

- Alerts can pinpoint exact location and nature of concern
- Alerts can include improperly functioning equipment, low batteries, lamp outages, loadshed events, and more

Energy reports

Energy savings by strategy – understand how you're saving energy

- Interactive reports allow you to see the full picture, and evaluate the specific performance of each strategy
- Reduce costs and drive better decision making

OPERATIONS

Scheduling

Automatically control all lighting and blinds with time-based events.

Set a preset level, or turn on or off lights in certain spaces, based on the time-of-day or astronomic events like sunrise or sunset.

	Here briefer						
	Schedulte						
	Al Schetches	(W)	 man 	ease ()			+ Add Event
1		5 m	17. 1+	11	12 %. (80.44.)	0 m.	N
)	#5.e		801 MIL-Q		500 M	-	
	1000						
	titler -						- 1
	100						12
	100	From	trem	I really	- Trents	- Penne	

Weekly event summary


Time-based control of facility lighting

- Colour coded schedules provide a simple overview
- · Scheduling allows easy modification of events

Simple user interface

Easily manage electric light and daylight.

Enable intuitive identification of the lighting areas, individual fixtures, or shading groups you want to adjust.




	Harris Pace Sherth Room R.	Clinings Helo Jeffrey	
	Hore Intellies	Are correct working	
	Add Event		
	L Berles w/ a		
	2.00m ()		
	ther: Service		
\bigcirc	(F)(H)(H)		(
\smile	term interm		
	Date State State State State State		
	Bally No B UR Take B	20	
	Design For Labor Document		
	1. Sebaster		
	- And Lincolne (- Ault Sequence		

Simple event scheduling

Modifying daily schedules for special events

- · Modify light settings for single events or recurring events
- Change functionality of sensors based on specific day or time requirements



SIMPLIFY BUILDING OPERATIONS

DALI EMERGENCY TESTING

Emergency Testing & Monitoring

Automatically test and monitor emergency lighting with time-based events.


Use Quantum Vue scheduling and reporting tools to set automated testing of DALI emergency fixtures, receive reports and automated alerts.

Settings		
diarts.	Disc Strangency Texts	
Ernal Rance	(All and a second s	
Photos Inc. in	At straight to be the base sampled to but pr	101
myning Hunn	Text Schedule & Settings	
Language & Lines	Pyterline Test () Every (if its work -	
Vor Bampional	Duration Test D Monthly -	
Ider Mersperset	Prylang Tana () 8 Minutes -	
deter Size for Energy	Lainet Text Results	they full fight - Stop All Tests
Ana Droph	Group Name / Areas with Flatsma is the France / Area 1, Area 2, Area 1, Area	
TALIER BRIDE	Test Type Recurrence	Last Result. Run Test

Function and Duration Tests

Schedule tests for any emergency lighting installation

- Function Test provides instant feedback on the current status of emergency luminaires
- Duration Tests verify battery life in advance of a real emergency
- Test results are reported in Quantum Vue



Alt Schedulars C Same C Multi response heads Three T Same 8 Moos 9 Tax 10 Mixed 11 C Same C Multi response heads Three T Same 8 Moos 9 Tax 10 Mixed 11 Days 10 PM 13 Bet Multi response heads Three T Same 9 Tax 10 Mixed 11 Days 10 PM 13 Bet Multi response heads Three T Same 9 Tax 10 Mixed 11 Days 10 PM 13 Bet Multi response heads Three T Same 9 Tax 10 Mixed 11 Days 10 PM 13 Bet Multi response heads Three T Same 9 Tax 10 Mixed 11 Days 10 PM 13 Bet Multi response heads Three T Same 9 Tax 10 Mixed 11 Days 10 PM 13 Bet Multi response heads Three T Same 9 Tax 10 Mixed 11 Days 10 PM 13 Bet Multi response heads Three T Same 9 Tax 10 Mixed 11 Days 10 PM 13 Bet Multi response heads Three T Same 9 Tax 10 Mixed 11 Days 10 PM 13 Bet Multi response heads Three T Same 9 Tax 10 Mixed 11 Days 10 PM 13 Bet Multi response heads Three T Same 9 Tax 10 Mixed 11 Days 10 PM 13 Bet Multi response heads Three T Same 9 Tax 10 Mixed 11 Days 10 PM 13 Bet Multi response heads Three T Same 9 Tax 10 Mixed 11 Days 10 PM 13 Bet Multi response heads Three T Same 9 Tax 10 Mixed 11 Days 10 PM 13 Bet Multi response head Three T Same 9 Tax 10 Mixed 11 Days 10 PM 13 Bet Multi response head Three T Tax 10 Mixed 11 Days 10 PM 13 Bet Multi response head Three T Tax 10 Mixed 11 Days 10 PM 13 Bet Multi response head Three T Tax 10 Mixed 11 Days 10 PM 13 Bet Multi response head Three T Tax 10 Mixed 11 Days 10 PM 13 Bet Multi response head Three T Tax 10 Mixed 11 Days 10 PM 13 Bet Multi response head Three T Tax 10 PM 13 Bet Multi response head Three T Tax 10 PM 13 Bet Multi response head Three T Tax 10 PM 13 Bet T Tax 10 PM	Schedules						AUDer
Maria AM Example to the constrained of the constrai	Al Schedules		10 share	the taken the	d)	· Inseditude	regery fails (
E de desta en anti- en a	Time 7 Sun	8 Mon	8 Tan	10 Med	11 7%	12 Fei	13.84
Med Ad	2252	Land Do that					
		THE AND					
A DECISION OF A DECISIONO OF A	Magi AN				_		
UNIX AN UNIX DATE :::	(0.4, 10)	Desired and					
1988-AM		- Selvaga					

Scheduling

Manage frequency and time of system testing

- Easily manage scheduling of emergency tests
- Access and adjust timimg as necessary

QUANTUM


Alerts

Automatically receive alerts of system failures

- Reports and sends alerts of lamp failures
- Reports and sends alerts of emergency lamp failures
- E-mail notification and visible alerts on the Quantum Vue dashboard

SAVE ENERGY

ENERGY






ENERGY

Energy Optimisation

Create more efficient spaces by utilising data-driven reports and alerts.

Schedule events and view performance of areas throughout your building to maximise energy savings.



Building performance

Custom reports allow comparison of energy savings strategies

- Easily evaluate strategies across buildings to optimise performance
- Track the impact of changes to lighting control strategies, and identify opportunities for additional savings

Load shed

Allows facility managers to shed a percentage of the system's lighting output. Reduce energy costs in your facility.

Hume Place Search Room R.	Ci Dettergs - Halo Jetter
Home Land Shet	
Load Shed	
Load Shed & currently machine	
Among test of set of se	
Then that the a stree, downant the spir well is if area by 20 TK. At it, the	
	teret
Cuthing and the second s	A DESCRIPTION OF THE OWNER

Hame Plose Search Room 9.	Differings Hele Jaffrey
Hone Schulles	
And the second s	
Act Event	
1. Section Section O	8
2.Wet O	
The Reference	
Contraction Decision	
Dar Eller Ste Ster Ets St Da	
nere ne B. Int free B	
Tanigi far statistication	
-	
3. Helmitz	

Today's schedule of events

Colour-coded schedules provide a simple overview

- Minimise energy use by scheduling events based on astronomical time clock such as sunrise and sunset
- · Modify light settings for single events or recurring events

Utility company sends out demand response signal.


Automatic signal



(DRAS)

Manual signal

Customer receives demand response notification by way of telephone, email, text message, or pager and manually adjusts load via Quantum Vue.



QUANTUM



Lower electricity rates

Improve ROI

- Take advantage of rebates from utility companies and energy aggregators who offer demand-response programs
- Respond to load shed requests automatically, or at the touch of a button

Energy Management System (EMS)

receives demand response signal from utility company over Ethernet and sends loadshed commands using BACnet to the Quantum hubs.

Quantum Hub

INTEGRATE WITH OTHER BUILDING SYSTEMS



Seamless interoperability

Efficient, sustainable buildings rely on integrated systems - not individual silos of information. Quantum systems seamlessly and reliably integrate Lutron lighting and automated blind control with building management systems (BMS), security systems, and HVAC, delivering a secure, total building environment.


Quantum integrates through BACnet, RS232, Ethernet TCP/IP, and contact closures.





Quantum Vue





LUTRON SYSTEM SECURITY





We build security into the product and the process.

From conception to installation, and through the lifetime of the system, everything we do is backed by Lutron's first, and guiding, principle – Take Care of the Customer with Superior Goods and Services. Every product, every system, and every solution is designed, manufactured and tested to work as expected.

Security by Design

When building any new system, Lutron utilises a dedicated security team to ensure best practices are implemented. Security is built-in. It is not an afterthought or add-on.

3rd Party Validation

Security is complicated. Lutron has a dedicated team of internal experts, but we also leverage external experts to double- and triple-check our process.

Continuous Monitoring and Improvements

Security is a constantly moving target. Lutron uses a dedicated security team to continuously monitor the market for potential threats and, when needed, send out security patches to update installed systems.

Ongoing Support

Lutron has the resources you need to answer questions about security when they arise.

QUANTUM

.....

.....

.....

FLEXIBLE IT IMPLEMENTATION

System and network integration consultation


Lutron is committed to a smooth project process. To ensure integration protocol requirements are aligned among Lutron and third-party vendors, and to avoid delays over the course of your project, the Lutron Services Company can work directly with your IT team to ensure the system configuration meets your IT needs.

Quantum can be implemented flexibly to address a variety of network configurations to suit the IT landscape in the building.

Option 1: Using a dedicated lighting control network


The Quantum lighting management hubs are connected to the Quantum server via a dedicated lighting control network. This provides the highest security.

For detailed network configuration information, have your IT administrator contact Lutron at **techapps@lutron.com.**



Option 2: Integrating with the Corporate network

The Quantum lighting management hubs are connected to the Quantum server via the Corporate Building Network. When using this option, all routers/switches connecting the Quantum lighting management hubs and the Quantum server must be properly configured to allow messages to be passed between the hubs and the server.



Quantum Vue web-based software

CONNECTED CAMPUS



LUTRON START-TO-FINISH SUPPORT



The Lutron services and support team simplifies design and specification

At Lutron, our first company principle is Take Care of the Customer with Superior Goods and Services. Our services and support team is fully committed to supporting every project and every client from initial design through occupancy and beyond.





DESIGN

CONSTRUCTION

QUANTUM




OPERATION & MAINTENANCE



RENOVATION & RETROFIT

LUTRON START-TO-FINISH SUPPORT



Designer+ Tool

Specifiers, contractors, distributors, Lutron reps, or other commercial building professionals can use this tool to design Lutron lighting control systems and generate comprehensive system design documentation (e.g. Bill of Material, One-line Diagram, and Sequence of Operations).

Project Management Teams

Lutron representatives and project management teams are ready to help design and specify the right lighting control system for your project, and to commission the installation.


LED Control Centre of Excellence

The LED Control Centre of Excellence is your comprehensive source for all things LED. From our LED compatibility tool, to fixture selection and solutions tools, to our fixture design tools, Lutron is committed to LED excellence by offering the latest information in an easy-to-use, plain-language format. As LED technology continues to change, the Centre of Excellence will keep you up to date.




QUANTUM SYSTEM COMPONENTS

Quantum provides total light management by tying together the most complete line of lighting controls, window blinds, digital ballasts, and LED drivers and sensors under one system and software umbrella. Many of the system components are available in both wired and wireless options. Here are the key components.



QUANTUM



Energi Savr Node (EcoSystem, DALI-2, 0–10V, switching)

QUANTUM

Photo credits: Cover, pages 2, 6: © James Steinkamp Photography Pages 4, 9, 11: © Eric Laignel of Perkins and Will Page 7: © Bruce Damonte Page 21: © Warren Jagger Photography

Lutron is a trademark of Lutron Electronics Co., Inc., registered in the U.S. and other countries. For a complete list of all Lutron registered and common law trademarks, please visit lutron.com/trademarks.

EUROPEAN HEADQUARTERS LUTRON EA LTD. 4TH FLOOR, 52 LEADENHALL STREET LONDON EC3A 2EB, UK

EUROPEAN EXPERIENCE CENTRE AND REGISTERED ADDRESS: 4TH FLOOR, 125 FINSBURY PAVEMENT LONDON EC2A 1NQ, UK

FREEPHONE: 0800 282 107 TEL: +44 (0) 207 702 0657 FAX: +44 (0) 207 480 6899 LUTRONLONDON@LUTRON.COM

© 05/2019 Lutron Electronics Co., Inc. P/N 367-1321/EA REV B



Follow us on Twitter: @Lutron_EU

