Catalog Volume 2

Connection diagrams for GRAFIK Eye® QS

LUTRON®

Dimmed



† Interface provides additional capacity and/or may be different voltage than control unit.

For illustration purposes only. Consult model number pages for specific voltage and capacity information.

Dimmed



For illustration purposes only. Consult model number pages for specific voltage and capacity information.

Dimmed



For illustration purposes only. Consult model number pages for specific voltage and capacity information.

Dimmed



For illustration purposes only. Consult model number pages for specific voltage and capacity information.

Dimmed



For illustration purposes only. Consult model number pages for specific voltage and capacity information.

Dimmed



† Visit www.lutron.com/LEDtool for a complete list of of LEDs compatible with this module.

For illustration purposes only. Consult model number pages for specific voltage and capacity information.

Dimmed

Neon/cold cathode

DMX lighting (by others)

QS DMX512
output interface



GRAFIK Eye QS
main unit



GRAFIK Eye QS
main unit

Switched

Non-dim lighting



GRAFIK Eye QS
main unit

For illustration purposes only. Consult model number pages for specific voltage and capacity information.

Switched



† Interface provides additional capacity and/or may be different voltage than control unit.

For illustration purposes only. Consult model number pages for specific voltage and capacity information.

Switched



For illustration purposes only. Consult model number pages for specific voltage and capacity information.

Switched



For illustration purposes only. Consult model number pages for specific voltage and capacity information.

Switched



For illustration purposes only. Consult model number pages for specific voltage and capacity information.

Additional control options



For illustration purposes only. Consult model number pages for specific voltage and capacity information.

Additional control options



For illustration purposes only. Consult model number pages for specific voltage and capacity information.

Additional control options

Timeclock scheduling



For illustration purposes only. Consult model number pages for specific voltage and capacity information.

Sensors



For illustration purposes only. Consult model number pages for specific voltage and capacity information.

Sensors



For illustration purposes only. Consult model number pages for specific voltage and capacity information.

Sensors



For illustration purposes only. Consult model number pages for specific voltage and capacity information.

Window Shades



For illustration purposes only. Consult model number pages for specific voltage and capacity information.

Integration

Third-party touchscreen

Third-party contact closure device (e.g. projection screen)



Ethernet RS 232 interface

Contact closure interface



GRAFIK Eye QS main unit



GRAFIK Eye QS main unit

Software programming

PC-based software (by Lutron®)



Contact closure interface



GRAFIK Eye QS main unit

For illustration purposes only. Consult model number pages for specific voltage and capacity information.

Dimmed



† Interface provides additional capacity and/or may be different voltage than control unit.

For illustration purposes only. Consult model number pages for specific voltage and capacity information.

Dimmed



For illustration purposes only. Consult model number pages for specific voltage and capacity information.

Dimmed



For illustration purposes only. Consult model number pages for specific voltage and capacity information.

Dimmed



For illustration purposes only. Consult model number pages for specific voltage and capacity information.

Dimmed



For illustration purposes only. Consult model number pages for specific voltage and capacity information.

Dimmed



For illustration purposes only. Consult model number pages for specific voltage and capacity information.

Dimmed



For illustration purposes only. Consult model number pages for specific voltage and capacity information.

Dimmed



For illustration purposes only. Consult model number pages for specific voltage and capacity information.



† Interface provides additional capacity and/or may be different voltage than control unit.

For illustration purposes only. Consult model number pages for specific voltage and capacity information.

Switched



† Interface provides additional capacity and/or may be different voltage than control unit.

For illustration purposes only. Consult model number pages for specific voltage and capacity information.

Switched



For illustration purposes only. Consult model number pages for specific voltage and capacity information.

Switched



For illustration purposes only. Consult model number pages for specific voltage and capacity information.

Switched



For illustration purposes only. Consult model number pages for specific voltage and capacity information.

Switched



For illustration purposes only. Consult model number pages for specific voltage and capacity information.

Additional control options



For illustration purposes only. Consult model number pages for specific voltage and capacity information.

Additional control options



For illustration purposes only. Consult model number pages for specific voltage and capacity information.

Additional control options



For illustration purposes only. Consult model number pages for specific voltage and capacity information.

Sensors



For illustration purposes only. Consult model number pages for specific voltage and capacity information.

Sensors



For illustration purposes only. Consult model number pages for specific voltage and capacity information.

Sensors



For illustration purposes only. Consult model number pages for specific voltage and capacity information.

Window shades



For illustration purposes only. Consult model number pages for specific voltage and capacity information.

Integration

Software programming



For illustration purposes only. Consult model number pages for specific voltage and capacity information.

Dimmed



Additional control options



For illustration purposes only. Consult model number pages for specific voltage and capacity information.

Additional control options



For illustration purposes only. Consult model number pages for specific voltage and capacity information.

Additional control options

seeTouch®
QS keypad

QS keyswitch

Sensors

Radio Powr Savr™ wireless
occupancy/vacancy sensors

QS sensor
module



GRAFIK Eye QS with
DALI main unit



GRAFIK Eye QS with
DALI main unit



GRAFIK Eye QS with
DALI main unit



GRAFIK Eye QS with
DALI main unit

For illustration purposes only. Consult model number pages for specific voltage and capacity information.

Sensors



For illustration purposes only. Consult model number pages for specific voltage and capacity information.

Sensors



For illustration purposes only. Consult model number pages for specific voltage and capacity information.

Window shades



For illustration purposes only. Consult model number pages for specific voltage and capacity information.

Integration

Third-party touchscreen

Third-party contact closure device (e.g. projection screen)



Ethernet RS 232 interface

Contact closure interface



GRAFIK Eye QS with DALI main unit



GRAFIK Eye QS with DALI main unit

Software programming

PC-based software (by Lutron®)



GRAFIK Eye QS with DALI main unit

For illustration purposes only. Consult model number pages for specific voltage and capacity information.